

A/V and Web Conferencing

Legend

- SIP traffic: signaling
- HTTP(S) traffic
- RTP/SRTP traffic: A/V Conferencing
- PSOM traffic: Web Conferencing
- ICE traffic
- ← Arrow direction indicates which server initiates the connection. Actual traffic is bi-directional.

A

Source IP	Destination IP	Source Port	Destination Port
A/V Edge	Any	TCP 50,000-59,999	TCP 443
A/V Edge	Any	UDP 3478	UDP 3478
Any	A/V Edge	Any	TCP 443
Any	A/V Edge	Any	UDP 3478

B

- Codec varies per workload:
- G.722 for audio
 - H264SVC for video

C


- Codec varies per workload:
- G.722, Siren or SILK for audio
 - H264SVC for video [RTVideo for downlevel clients]

D

- Codec varies per workload:
- G.722 for audio
 - H264AVC for video

E

- HTTPS: 443 is used to download conferencing content, including Powerpoint files and sharing.




Application Sharing

Legend

- SIP traffic: signaling
- HTTP(S) traffic
- RTP/SRTP traffic: A/V Conferencing
- ICE traffic
- ← Arrow direction indicates which server initiates the connection. Actual traffic is bi-directional.

A

Source IP	Destination IP	Source Port	Destination Port
A/V Edge	Any	TCP 50,000-59,999	TCP 443
Any	A/V Edge	Any	TCP 443




Enterprise Voice

Legend

- SIP traffic
- Call Admission Control (CAC) traffic
- RTP/SRTP traffic: A/V Conferencing
- ICE traffic
- ← Arrow direction indicates which server initiates the connection. Actual traffic is bi-directional.

External



Certificate Requirements

Core elements

Front End Pool



Front End Server 1, Front End Server 2

FQDN: pool.<ad-domain>
 Certificate SN: pool.<ad-domain>
 Certificate SAN: pool.<ad-domain>, fe.<ad-domain>, sip.<sip-domain>, lyncdiscoverinternal.<sip-domain>, lyncdiscover.<sip-domain>, admin URL, meet URL, dial-in URL,
 EKU: server
 Root certificate: private CA


Edge Servers



Edge Server 1, Edge Server 2

Internal FQDN: internal.<ad-domain>
 Certificate SN: internal.<ad-domain>
 Certificate SAN:
 EKU: server
 Root certificate: private CA

External FQDN: access.<sip-domain>
 Certificate SN: access.<sip-domain>
 Certificate SAN: access.<sip-domain>, sip.<sip-domain>, conf.<sip-domain>
 EKU: server
 Root certificate: public CA



Persistent Chat Server



FQDN: chatsrv.<ad-domain>
 Certificate SN: chatsrv.<ad-domain>
 Certificate SAN: N/A
 EKU: server, client
 Root certificate: private CA

Directors



Director 1, Director 2

FQDN: dir.<ad-domain>
 Certificate SN: dir.<ad-domain>
 Certificate SAN: dir.<ad-domain>, sipinternal.<sip-domain>, sip.<sip-domain>, lyncdiscoverinternal.<sip-domain>, lyncdiscover.<sip-domain>, admin URL, meet URL, dial-in URL
 EKU: server
 Root certificate: private CA

Additional elements

Reverse proxy



FQDN: external Web Service FQDN
 Certificate SN: external Web Service FQDN
 Certificate SAN: external Web Service FQDN, lyncdiscover.<sip-domain>, meet URL, dial-in URL, OwaExtWeb.<sip-domain>
 EKU: server
 Root certificate: public CA

Branch Appliance



FQDN: sba.<ad-domain>
 Certificate SN: sba.<ad-domain>
 Certificate SAN: sba.<ad-domain>
 EKU: server
 Root certificate: private CA

Exchange UM Server



FQDN: umsrv.<ad-domain>
 Certificate SN: umsrv.<ad-domain>
 Certificate SAN: N/A
 EKU: server
 Root certificate: private CA

Office Web Apps Server



FQDN: OwaExtWeb.<sip-domain>
 Certificate SN: OwaExtWeb.<sip-domain>
 Certificate SAN: wacsv1.<ad-domain>, wacsv2.<ad-domain>
 EKU: server
 Root certificate: private CA

CMS

Legend


-  SMB traffic
-  HTTPS traffic
-  Arrow direction indicates which server initiates the connection. Subsequent traffic is bi-directional.

The Central Management Store provides a robust, schematized storage of the data needed to define, set up, maintain, administer, describe, and operate a Skype for Business Server deployment. It also validates the data to ensure configuration consistency.

All changes to this configuration data happen at the Central Management store, eliminating "out-of-sync" issues. Read-only copies of the data are replicated to all servers in the topology, including Edge Servers and Survivable Branch Appliances.

The Active Directory Domain Services (AD DS) are still used to store basic user information, such as the user's SIP URI and phone number. User policy information is stored in the Central Management store. The use of Active Directory Domain Services (AD DS) also provides backward compatibility with earlier releases of Lync Server.

To administer servers and services, you use Skype for Business Server Management Shell or the Skype for Business Server Control Panel, which then configure the settings in the Central Management store. The Central Management Server, which runs on one Front End pool or one Standard Edition server in your deployment, replicates the configuration changes to all of the servers in your deployment.



DNS Configuration

Internal DNS Configuration

DNS Type	Value	Enterprise Edition Resolution	Standard Edition Resolution	Purpose
SRV	_sipinternaltls._tcp.<sip-domain>	pool FQDN	pool FQDN	internal user access
A/CNAME	lyncdiscoverinternal.<sip-domain>	HLB FE Pool VIP	pool IP address	internal AutoDiscover Service
A	Pool FQDN	individual FE IPs	pool IP address	Internal pool name
A	admin URL	HLB FE Pool VIP	pool IP address	Lync Server Control Panel (LSCP)
A	meet URL	HLB FE Pool VIP	pool IP address	Lync Server Web Service
A	dial-in URL	HLB FE Pool VIP	pool IP address	Lync Server Web Service
A	internal Web Services FQDN	HLB FE Pool VIP	pool IP address	Lync Server Web Service
A	external Web Services FQDN	Reverse proxy public IP address	Reverse proxy public IP address	Proxied to Lync Server Web Service

External DNS Configuration

DNS Type	Value	Resolution	Purpose
SRV	_sipfederationtls._tcp.<sip-domain>	Access Edge FQDN: access.<sip-domain>	Federation and public IM connectivity
SRV	_sip._tls.<sip-domain>	Access Edge FQDN: access.<sip-domain>	external user access
SRV	_xmpp-server._tcp.<sip-domain>	Access Edge FQDN: access.<sip-domain>	XMPP federation
A	sip.<sip-domain>	Access Edge FQDN: access.<sip-domain>	locate Edge Server
A	Access Edge FQDN: access.<sip-domain>	Access Edge IP address	Edge Server Access edge
A	A/V Edge FQDN: av.<sip-domain>	A/V Edge IP address	Edge Server A/V edge
A	Conf Edge FQDN: conf.<sip-domain>	Conf Edge IP address	Edge Server Conf edge
A/CNAME	lyncdiscover.<sip-domain>	reverse proxy public IP address	external AutoDiscover Service
A	meet URL	reverse proxy public IP address	proxied to Lync Server Web Service
A	dial-in URL	reverse proxy public IP address	proxied to Lync Server Web Service
A	external Web Services FQDN	reverse proxy public IP address	proxied to Lync Server Web Service

OWA

DNS Type	Value	Office Web Apps Farm Resolution	Office Web Apps Server Resolution	Purpose
A	OWA internal URL	HLB OWA VIP	OWA server IP	internal user access to PowerPoint Presentations
A	OWA external URL	Reverse proxy public IP address	Reverse proxy public IP address	external user access to PowerPoint Presentations

Broadcast Conferencing

Legend

- HTTPS traffic
- ← Arrow direction indicates which server initiates the connection. Actual traffic is bi-directional.

Microsoft Broadcast Solution

